

PTO-1449 REPRODUCED

ATTORNEY DOCKET NO.
3268.1003-004APPLICATION NO.
10/535,267

O I P INFORMATION DISCLOSURE CITATION
IN AN APPLICATION
May 31, 2006
(Use several sheets if necessary)

JUN 05 2006
PARENT & TRADEMARK OFFICE
APR 21

FIRST NAMED INVENTOR
Kevin J. TraceyFILING DATE
November 22, 2005EXAMINER
Not AssignedCONFIRMATION NO.
6690GROUP
1642

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	REF. NO.	DOCUMENT NUMBER Number-Kind Code (if known)	ISSUE DATE / PUBLICATION DATE MM-DD-YYYY	NAME OF PATENTEE OR APPLICANT OF CITED DOCUMENT
	A1	6,649,172 B2	11/18/2003	Johnson, D.
	A2	6,303,321 B1	10/16/2001	Tracey, K. J. and Wang, H.
	A3	6,448,223 B1	09/10/2002	Tracey, K. J. and Wang, H.
	A4	6,468,533 B1	10/22/2002	Tracey, K. J. and Wang, H.
	A5	2003/0060410 A1	03/27/2003	Tracey, K. J., et al.
	A6	2003/0144201 A1	07/31/2003	Tracey, K. J., et al.
	A7	2004/0005316 A1	01/08/2004	Tracey, K. J., et al.
	A8	2004/0053841 A1	03/18/2004	Tracey, K. J., et al.
	A9	6,171,779 B1	01/09/2001	Chada, K.K., et al.
	A10	6,720,472 B2	04/13/2004	Chada, K.K., et al.
	A11	2002/0009749 A1	01/24/2002	Ozaki, S., et al.
	A12	6,323,329 B1	11/27/2001	Bullerdiek, J.
	A13	5,594,114	01/14/1997	Goodearl, A. D. J., et al.
	A14	2003/0017155 A1	01/23/2003	Tracey, K. J., et al.
	A15	2003/0143194 A1	07/31/2003	Tracey, K. J., et al.
	A16	2004/0120953 A1	06/24/2004	Tracey, K. J., et al.
	A17	5,545,806	08/13/1996	Lonberg, et al.
	A18	5,545,807	08/13/1996	Surani,A.M., et al.
	A19	5,605,690	02/25/1997	Jacobs, C.A., et al.
	A20	5,656,272	08/12/1997	Le, J., et al.
	A21	6,177,077 B1	01/23/2001	Tobnick, E.L.
	A22			
	A23			
	A24			
	A25			

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /DB/

EXAMINER	DATE CONSIDERED

PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION May 31, 2006 (Use several sheets if necessary)		ATTORNEY DOCKET NO. 3268.1003-004	APPLICATION NO. 10/535,267
		FIRST NAMED INVENTOR Kevin J. Tracey	FILING DATE November 22, 2005
		EXAMINER Not Assigned	CONFIRMATION NO. 6690
			GROUP 1642

FOREIGN PATENT DOCUMENTS					
		DOCUMENT NUMBER Country Code-Number-Kind Code (if known)	DATE MM-DD-YYYY	NAME OF PATENTEE OR APPLICANT OF CITED DOCUMENT	TRANSLATION YES NO
	B1	WO 00/47104	08/17/2000	The Picower Institute for Medical Research	
	B2	WO 99/59609	11/25/1999	Bartorelli, A.	
	B3	WO 02/074337 A1	09/26/2002	Bianchi, M. E., <i>et al.</i>	
	B4	WO 2004/004763 A2	01/15/2004	Bianchi, M. E., <i>et al.</i>	
	B5	JP 62-166897	07/23/1987	Toyo Soda Mfg. Co. Ltd.	X
	B6	EP 1 079 849 B1	01/02/2002	Bartorelli, A.	
	B7	WO 96/25493	08/22/1996	Bullerdiek, J.	
	B8	WO 97/23611	07/03/1997	Bullerdiek, J.	X
	B9				
	B10				
	B11				
	B12				
	B13				
	B14				
	B15				
	B16				
	B17				
	B18				
	B19				
	B20				
	B21				
	B22				
	B23				
	B24				

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /DB/

EXAMINER	DATE CONSIDERED
----------	-----------------

PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION May 31, 2006 (Use several sheets if necessary)		ATTORNEY DOCKET NO. 3268.1003-004	APPLICATION NO. 10/535,267
		FIRST NAMED INVENTOR Kevin J. Tracey	FILING DATE November 22, 2005
		EXAMINER Not Assigned	CONFIRMATION NO. 6690
			GROUP 1642

OTHER DOCUMENTS (*Including Author, Title, Date, Pertinent Pages, Etc.*)

C1	Andersson, U., <i>et al.</i> , "High Mobility Group 1 Protein (HMG-1) Stimulates Proinflammatory Cytokine Synthesis in Human Monocytes," <i>J. Exp. Med.</i> , 192(4):565-570 (2000).
C2	Czura, C., <i>et al.</i> , "Dual Roles for HMGB1: DNA Binding and Cytokine," <i>J. Endotoxin Res.</i> , 7(4):315-321 (2001).
C3	Wen, L., <i>et al.</i> , "A Human Placental cDNA Clone that Encodes Nonhistone Chromosomal Protein HMG-1," <i>Nucleic Acids Res.</i> , 17(3):1197-1213 (1989).
C4	Lode, <i>et al.</i> , "Targeted Cytokines for Cancer Immunotherapy," <i>Immunologic Research</i> , 21(2-3):279-288 (2000).
C5	Abaza, M.-S. I. and Atassi, M. Z., "Effects of Amino Acid Substitutions Outside an Antigenic Site on Protein Binding to Monoclonal Antibodies of Predetermined Specificity Obtained by Peptide Immunization: Demonstration with Region 94-100 (Antigenic Site 3) of Myoglobin," <i>J. Protein Chem.</i> 11(5):433-444 (1992).
C6	Abraham, E., <i>et al.</i> , "Cutting Edge: HMG-1 as a Mediator of Acute Lung Inflammation," <i>J. Immunol.</i> , 165:2950-2954 (2000).
C7	Bianchi, M., <i>et al.</i> , "Suppression of Proinflammatory Cytokines in Monocytes by a Tetravalent Guanylhydrazone," <i>J. Of Exp. Med.</i> , 183:927-936 (1996).
C8	Ayer, L. M., <i>et al.</i> , "Antibodies to HMG Proteins in Patients With Drug-Induced Autoimmunity," <i>Arthritis Rheum.</i> , 37(1):98-103 (1994).
C9	Banks, G. C., <i>et al.</i> , "The HMG-I(Y) A-T-hook Peptide Motif Confers DNA-binding Specificity to a Structured Chimeric Protein," <i>J. Biol. Chem.</i> , 274(23):16536-16544 (1999).
C10	Baxevanis, A. D. and Landsman, D., "The HMG-1 Box Protein Family: Classification and Functional Relationships," <i>Nucleic Acids Res.</i> , 23(9):1604-1613 (1995).
C11	Bianchi, M. E., <i>et al.</i> , "The DNA Binding Site of HMG1 Protein is Composed of Two Similar Segments (HMG Boxes), Both of Which Have Counterparts in Other Eukaryotic Regulatory Proteins," <i>EMBO J.</i> , 11(3):1055-1063 (1992).

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /DB/

EXAMINER	DATE CONSIDERED
----------	-----------------

PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION May 31, 2006 (Use several sheets if necessary)		ATTORNEY DOCKET NO. 3268.1003-004	APPLICATION NO. 10/535,267
		FIRST NAMED INVENTOR Kevin J. Tracey	FILING DATE November 22, 2005
		EXAMINER Not Assigned	CONFIRMATION NO. 6690
			GROUP 1642

OTHER DOCUMENTS (*Including Author, Title, Date, Pertinent Pages, Etc.*)

C12	Bianchi, M. E., <i>et al.</i> , "Specific Recognition of Cruciform DNA by Nuclear Protein HMG1," <i>Science</i> , 243:1056-1059 (1989).
C13	Bustin, M., "Revised Nomenclature for High Mobility Group (HMG) Chromosomal Proteins," <i>Trends Biochem. Sci.</i> , 26:152-153 (2001).
C14	Bustin, M., <i>et al.</i> , "Antigenic Determinants of High Mobility Group Chromosomal Proteins 1 and 2," <i>Biochem.</i> , 21:6773-6777 (1982).
C15	Bustin, M., <i>et al.</i> , "Immunological Relatedness of High Mobility Group Chromosomal Proteins from Calf Thymus," <i>J. Biol. Chem.</i> , 253(5):1694-1699 (1978).
C16	Chou, D. K. H., <i>et al.</i> , "Identity of Nuclear High-Mobility-Group Protein, HMG-1, and Sulfoglucuronyl Carbohydrate-Binding Protein, SBP-1, in Brain," <i>J. Neurochem.</i> , 77:120-131 (2001).
C17	Colman, P. M., "Effects of Amino Acid Sequence Changes on Antibody-Antigen Interactions," <i>Res. Immunol.</i> , 145(1):33-36 (1994).
C18	Clackson, T., <i>et al.</i> , "Making Antibody Fragments Using Phage Display Libraries," <i>Nature</i> , 352: 624-628 (1991).
C19	Daston, M. M. and Ratner, N., "Expression of P30, a Protein with Adhesive Properties in Schwann Cells and Neurons of the Developing and Regenerating Peripheral Nerve," <i>J. Cell Biol.</i> , 112(6):1229-1239 (1991).
C20	Degryse, B., <i>et al.</i> , "The High Mobility Group (HMG) Boxes of the Nuclear Protein HMG1 Induce Chemotaxis and Cytoskeleton Reorganization in Rat Smooth Muscle Cells," <i>J. Cell Biol.</i> , 152(6):1197-1206 (2001).
C21	Falciola, L., <i>et al.</i> , "High Mobility Group 1 Protein is Not Stably Associated with the Chromosomes of Somatic Cells," <i>J. Cell. Biol.</i> , 137(1):19-26 (1997).
C22	Freeman, B. D., <i>et al.</i> , "The Role of Inflammation in Sepsis and Septic Shock: A Meta-Analysis of Both Clinical and Preclinical Trials of Anti-Inflammatory Therapies," in <i>Inflammation: Basic Principles and Clinical Correlates</i> (John I. Gallin and Ralph Snyderman eds., Lippincott, Williams & Wilkins, Philadelphia, 3 rd ed.), pp 965-975 (1999).

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /DB/

EXAMINER	DATE CONSIDERED
----------	-----------------

PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION May 31, 2006 (Use several sheets if necessary)		ATTORNEY DOCKET NO. 3268.1003-004	APPLICATION NO. 10/535,267
		FIRST NAMED INVENTOR Kevin J. Tracey	FILING DATE November 22, 2005
		EXAMINER Not Assigned	CONFIRMATION NO. 6690
			GROUP 1642

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

C23	Imamura, T., <i>et al.</i> , "Interaction with p53 Enhances Binding of Cisplatin-Modified DNA by High Mobility Group 1 Protein," <i>J. Biol. Chem.</i> , 276(10):7534-7540 (2001).
C24	Ise, T., <i>et al.</i> , "Transcription Factor Y-Box Binding Protein 1 Binds Preferentially to Cisplatin-Modified DNA and Interacts With Proliferating Cell Nuclear Antigen," <i>Cancer Res.</i> , 59:342-346 (1999).
C25	Johns, E. W., <i>et al.</i> , "History, Definitions and Problems," in <i>The HMG Chromosomal Proteins</i> , (London: Academic Press), pp. 1-7 (1982).
C26	Jung, F., <i>et al.</i> , "Antibodies Against a Peptide Sequence Located in the Linker Region of the HMG-1/2 Box Domains in Sera From Patients With Juvenile Rheumatoid Arthritis," <i>Arthritis Rheum.</i> , 40(10):1803-1809 (1997).
C27	Landsman, D. and Bustin, M., "A Signature for the HMG-1 Box DNA-Binding Proteins," <i>BioEssays</i> , 15(8):539-546 (1993).
C28	Lederman, S., <i>et al.</i> , "A Single Amino Acid Substitution in a Common African Allele of the CD4 Molecule Ablates Binding of the Monoclonal Antibody OKT4," <i>Mol. Immunol.</i> , 28(11):1171-1181 (1991).
C29	Ma, W., <i>et al.</i> , "Detection of Anti-neutrophil Cytoplasmic Antibodies in MRL/Mp-lpr/lpr Mice and Analysis of Their Target Antigens," <i>Autoimmunity</i> , 32(4):281-291 (2000).
C30	Melloni, E., <i>et al.</i> , "Identity in Molecular Structure Between 'Differentiation Enhancing Factor' of Murine Erythroleukemia Cells and the 30 kD Heparin-Binding Protein of Developing Rat Brain," <i>Biochem. Biophys. Res. Commun.</i> , 210(1):82-89 (1995).
C31	Melloni, E., <i>et al.</i> , "Extracellular Release of the 'Differentiation Enhancing Factor', a HMG1 Protein Type, is an Early Step in Murine Erythroleukemia Cell Differentiation," <i>FEBS Lett.</i> , 368:466-470 (1995).
C32	Merenmies, J., <i>et al.</i> , "30-kDa Heparin-Binding Protein of Brain (Amphoterin) Involved in Neurite Outgrowth," <i>J. Biol. Chem.</i> , 266(25):16722-16729 (1991).

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /DB/

EXAMINER	DATE CONSIDERED
----------	-----------------

PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION May 31, 2006 (Use several sheets if necessary)		ATTORNEY DOCKET NO. 3268.1003-004	APPLICATION NO. 10/535,267
		FIRST NAMED INVENTOR Kevin J. Tracey	FILING DATE November 22, 2005
		EXAMINER Not Assigned	CONFIRMATION NO. 6690
			GROUP 1642

OTHER DOCUMENTS (*Including Author, Title, Date, Pertinent Pages, Etc.*)

C33	Milev, P., <i>et al.</i> , "High Affinity Binding and Overlapping Localization of Neurocan and Phosphacan/Protein-Tyrosine Phosphatase - ζ/β with Tenascin-R, Amphoterin, and the Heparin-Binding Growth-Associated Molecule," <i>J. Biol. Chem.</i> 273(12):6998-7005 (1998).
C34	Mohan, P. S., <i>et al.</i> , "Sulfoglycolipids Bind to Adhesive Protein Amphoterin (p30) in the Nervous System," <i>Biochem. Biophys. Res. Commun.</i> , 182(2):689-696 (1992).
C35	Parkkinen, J. and Rauvala, H., "Interactions of Plasminogen and Tissue Plasminogen Activator (t-PA) with Amphoterin," <i>J. Biol. Chem.</i> , 266(25):16730-16735 (1991).
C36	Parkkinen, J., <i>et al.</i> , "Amphoterin, the 30-kDa Protein in a Family of HMG1-type Polypeptides," <i>J. Biol. Chem.</i> , 268(26):19726-19738 (1993).
C37	Passalacqua, M., <i>et al.</i> , "Stimulated Astrocytes Release High-Mobility Group 1 Protein, an Inducer of Lan-5 Neuroblastoma Cell Differentiation," <i>Neuroscience</i> , 82(4):1021-1028 (1998).
C38	Rauvala, H. and Pihlaskari, R., "Isolation and Some Characteristics of an Adhesive Factor of Brain That Enhances Neurite Outgrowth in Central Neurons," <i>J. Biol. Chem.</i> , 262(34):16625-16635 (1987).
C39	Rauvala, H., <i>et al.</i> , "The Adhesive and Neurite-Promoting Molecule p30: Analysis of the Amino-Terminal Sequence and Production of Antipeptide Antibodies That Detect p30 at the Surface of Neuroblastoma Cells and of Brain Neurons," <i>J. Cell Biol.</i> , 107(6):2293-2305 (1988).
C40	Romani, M., <i>et al.</i> , "Serological Analysis of Species Specificity in the High Mobility Group Chromosomal Proteins," <i>J. Biol. Chem.</i> , 254(8):2918-2922 (1979).
C41	Salmivirta, M., <i>et al.</i> , "Neurite Growth-Promoting Protein (Amphoterin, p30) Binds Syndecan," <i>Exp. Cell Res.</i> , 200:444-451 (1992).
C42	Scaffidi, P., <i>et al.</i> , "Release of Chromatin Protein HMGB1 by Necrotic Cells Triggers Inflammation," <i>Nature</i> , 418:191-195 (2002).
C43	Sobajima, J., <i>et al.</i> , "Prevalence and Characterization of Perinuclear Anti-Neutrophil Cytoplasmic Antibodies (P-ANCA) Directed Against HMG1 and HMG2 in Ulcerative Colitis (UC)," <i>Clin. Exp. Immunol.</i> , 111:402-407 (1998).

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /DB/

EXAMINER	DATE CONSIDERED
----------	-----------------

PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION May 31, 2006 (Use several sheets if necessary)		ATTORNEY DOCKET NO. 3268.1003-004	APPLICATION NO. 10/535,267
		FIRST NAMED INVENTOR Kevin J. Tracey	FILING DATE November 22, 2005
		EXAMINER Not Assigned	CONFIRMATION NO. 6690
			GROUP 1642

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

C44	Sobajima, J., <i>et al.</i> , "Anti-Neutrophil Cytoplasmic Antibodies (ANCA) in Ulcerative Colitis: Anti-Cathepsin G and a Novel Antibody Correlate With a Refractory Type," <i>Clin. Exp. Immunol.</i> , 105:120-124 (1996).
C45	Sobajima, J., <i>et al.</i> , "Novel Autoantigens of Perinuclear Anti-Neutrophil Cytoplasmic Antibodies (P-ANCA) in Ulcerative Colitis: Non-Histone Chromosomal Proteins, HMG1 and HMG2," <i>Clin. Exp. Immunol.</i> , 107:135-140 (1997).
C46	Sobajima, J., <i>et al.</i> , "High Mobility Group (HMG) Non-Histone Chromosomal Proteins HMG1 and HMG2 are Significant Target Antigens of Perinuclear Anti-Neutrophil Cytoplasmic Antibodies in Autoimmune Hepatitis," <i>Gut</i> , 44:867-873 (1999).
C47	Sparatore, B. <i>et al.</i> , "Extracellular High-Mobility Group 1 Protein is Essential for Murine Erythroleukaemia Cell Differentiation," <i>Biochem. J.</i> , 320:253-256 (1996).
C48	Suda, T., <i>et al.</i> , "A Novel Activity of HMG Domains: Promotion of the Triple-Stranded Complex Formation Between DNA Containing (GGA/TCC) ₁₁ and d(GGA) ₁₁ Oligonucleotides," <i>Nucleic Acids Res.</i> , 24(23):4733-4740 (1996).
C49	Tsuneoka, M., <i>et al.</i> , "Monoclonal Antibody Against Non-Histone Chromosomal Protein High Mobility Group 1 Co-Migrates With High Mobility Group 1 Into the Nucleus," <i>J. Biol. Chem.</i> , 261(4):1829-1834 (1986).
C50	Uesugi, H., <i>et al.</i> , "Prevalence and Characterization of Novel pANCA, Antibodies to the High Mobility Group Non-Histone Chromosomal Proteins HMG1 and HMG2, in Systemic Rheumatic Diseases," <i>J. Rheumatol.</i> , 25(4):703-709 (1998).
C51	Vanderbilt, J. N. and Anderson, J. N., "Monoclonal Antibodies as Probes for the Complexity, Phylogeny, and Chromatin Distribution of High Mobility Group Chromosomal Proteins 1 and 2," <i>J. Biol. Chem.</i> , 260(16):9336-9345 (1985).
C52	Wang, H., <i>et al.</i> , "HMG-1 as a Late Mediator of Endotoxin Lethality in Mice," <i>Science</i> , 285:248-251 (1999).
C53	Wang, H., <i>et al.</i> , "Proinflammatory Cytokines (Tumor Necrosis Factor and Interleukin 1) Stimulate Release of High Mobility Group Protein-1 by Pituitary Cells," <i>Surgery</i> , 126(2):389-392(1999).

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /DB/

EXAMINER	DATE CONSIDERED
----------	-----------------

PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION May 31, 2006 (Use several sheets if necessary)		ATTORNEY DOCKET NO. 3268.1003-004	APPLICATION NO. 10/535,267
		FIRST NAMED INVENTOR Kevin J. Tracey	FILING DATE November 22, 2005
		EXAMINER Not Assigned	CONFIRMATION NO. 6690
			GROUP 1642

OTHER DOCUMENTS (*Including Author, Title, Date, Pertinent Pages, Etc.*)

C54	Yamawaki, M., <i>et al.</i> , "Generation and Characterization of Anti-Sulfoglucuronosyl Paragloboside Monoclonal Antibody NGR50 and its Immunoreactivity with Peripheral Nerve," <i>J. Neurosci. Res.</i> , 44:586-593 (1996).
C55	Yamada, S., <i>et al.</i> , "High Mobility Group Protein 1 (HMGB1) Quantified by ELISA with a Monoclonal Antibody That Does Not Cross-React with HMGB2," <i>Clin. Chem.</i> , 49(9):1535-1537 (2003).
C56	Zhang, M and Tracey, K. J., "Tumor Necrosis Factor," in <i>The Cytokine Handbook</i> , (Academic Press Limited), Third Edition, pp. 517-547 (1998).
C57	GenBank Accession No. AC010149, "Homo sapiens BAC clone RP11-395A23 from 2, complete sequence," (2005) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <URL: http://www.ncbi.nlm.nih.gov >.
C58	GenBank Accession No. AF165167, "Homo sapiens high mobility group 1-like protein L8 (HMG1L8) retropseudogene, complete sequence," (2001) [online] [retrieved on 4/21/2006]. Retrieved from the Internet: <URL: http://www.ncbi.nlm.nih.gov >.
C59	GenBank Accession No. AF076674, "Homo sapiens high mobility group 1-like protein L1 (HMG1L1) retropseudogene sequence," (1999) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <URL: http://www.ncbi.nlm.nih.gov >.
C60	GenBank Accession No. AF076676, "Homo sapiens high mobility group 1-like protein L4 (HMG1L4) retropseudogene sequence," (1999) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <URL: http://www.ncbi.nlm.nih.gov >.
C61	GenBank Accession No. NG_000897, "Homo sapiens high-mobility group (nonhistone chromosomal) protein 1-like 5 (HMG1L5) pseudogene on chromosome 3," (2006) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <URL: http://www.ncbi.nlm.nih.gov >.
C62	GenBank Accession No. U51677, "Human non-histone chromatin protein HMG1 (HMG1) gene, complete cds.," (1996) [online] [retrieved on 3/21/2006]. Retrieved from the Internet: <URL: http://www.ncbi.nlm.nih.gov >.
C63	GenBank Accession No. XM_066789, "Homo sapiens similar to high mobility group 1 (LOC139603), mRNA," (2002) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <URL: http://www.ncbi.nlm.nih.gov >.

EXAMINER	DATE CONSIDERED
----------	-----------------

PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION May 31, 2006 (Use several sheets if necessary)		ATTORNEY DOCKET NO. 3268.1003-004	APPLICATION NO. 10/535,267
		FIRST NAMED INVENTOR Kevin J. Tracey	FILING DATE November 22, 2005
		EXAMINER Not Assigned	CONFIRMATION NO. 6690
			GROUP 1642

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

C64	GenBank Accession No. AF165168, "Homo sapiens high mobility group 1-like protein L9 (HMG1L9) retropseudogene complete sequence," (2001) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <URL: http://www.ncbi.nlm.nih.gov >.
C65	GenBank Accession No. XM_063129, "Homo sapiens similar to high mobility group 1 (LOC122441), mRNA," (2002) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <URL: http://www.ncbi.nlm.nih.gov >.
C66	"High Mobility Group, (HMG) Chromosomal Proteins Nomenclature Home Page" [online] [retrieved on Mrach 9, 2006]. Retrieved from the Internet:<URL: http://www.informatics.jax.org/mgihome/nomen/genefamilies/hmgfamily.shtml >
C67	Reeves, R. and Nissen, M.S., "The A•T-DNA-binding Domain of Mammalian High Mobility Group I Chromosomal Proteins," <i>J. Biol. Chem.</i> , 265(15):8573-8582 (1990).
C68	Taguchi, A., <i>et al.</i> , "Blockade of RAGE-amphoterin Signalling Suppresses Tumour Growth and Metastases," <i>Nature</i> , 405:354-360 (2000).
C69	Taudte, S., <i>et al.</i> , "Interactions Between HMG Boxes," <i>Protein Eng.</i> , 14(12):1015-1023 (2001).
C70	SWISS-PROT Accession Number P09429, "High Mobility Group Protein 1 (HMG-1) (High Mobility Group Protein B1)," [online] [retrieved on 03/09/2006]. Retrieved from the Internet:<URL: http://www.ncbi.nlm.nih.gov >.
C71	Marks, J.D., <i>et al.</i> , "By-Passing Immunization: Building High Affinity Human Antibodies by Chain Shuffling," <i>Bio/Technology</i> , 10:779-783 (1992).
C72	Redlitz, A., <i>et al.</i> , "Receptors for Plasminogen and t-PA: An Update," <i>Bailliere's Clinical Hematology</i> , 8(2):313-327 (1995).
C73	Vassalli, J.-D., <i>et al.</i> , "The Plasminogen Activator/Plasmin System," <i>J. Clin. Invest.</i> , 88:1067-1072 (1991).
C74	Tomita, N., <i>et al.</i> , "Direct In Vivo Gene Introduction into Rat Kidney," <i>Bioch. Biophys. Res. Commun.</i> , 186(1):129-134 (1992).

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /DB/

EXAMINER	DATE CONSIDERED
----------	-----------------

PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION May 31, 2006 (Use several sheets if necessary)		ATTORNEY DOCKET NO. 3268.1003-004	APPLICATION NO. 10/535,267
		FIRST NAMED INVENTOR Kevin J. Tracey	FILING DATE November 22, 2005
		EXAMINER Not Assigned	CONFIRMATION NO. 6690
			GROUP 1642

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

C75	Jakobovits, A., <i>et al.</i> , "Analysis of Homozygous Mutant Chimeric Mice: Deletion of the Immunoglobulin Heavy-Chain Joining Region Blocks B-Cell Development and Antibody Production," <i>Proc. Natl. Acad. Sci. USA</i> , 90:2551-2555 (1993).
C76	Jakobovits, A., <i>et al.</i> , "Germ-Line Transmission and Expression of a Human-Derived Yeast Artificial Chromosome," <i>Nature</i> , 362:255-258 (1993).
C77	Ohlin, M., <i>et al.</i> , "Human Monoclonal Antibodies Against a Recombinant HIV Envelope Antigen Produced by Primary <i>in vitro</i> Immunization. Characterization and Epitope Mapping," <i>Immunology</i> , 68:325-331 (1989).
C78	Sjögren-Jansson, E., <i>et al.</i> , "Production of Human Monoclonal Antibodies in Dialysis Tubing," <i>Hybridoma</i> , 10(3):411-419 (1991).
C79	Pulkki, K., "Cytokines and Cardiomyocyte Death," <i>Ann. Med.</i> , 29:339-343 (1997).
C80	Tsutsui, H., <i>et al.</i> , "Pathophysiological Roles of Interleukin-18 in Inflammatory Liver Disease," <i>Immunol. Rev.</i> , 174:192-209 (2000).

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /DB/

EXAMINER /David Blanchard/	DATE CONSIDERED 08/27/2008
-----------------------------------	-----------------------------------